

MADE IN ITALY. MADE TO EXCEL.

# BOOST COLOR



## CONCRETE LOOK

### WALL TILES

Rivestimenti  
Revêtements  
Wandfliesen  
Revestimientos  
Настенная плитка

### PORCELAIN TILES

Gres Porcellanato  
Grès cérame  
Feinsteinzeug  
Gres porcelánico  
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

[atlasconcorde.com](https://atlasconcorde.com)

# INDEX

- 04 INSPIRATION
- 14 IMAGE GALLERY
- 50 SURFACE RANGE & TECHNICAL SPECIFICATION



DOWNLOAD >  
DIGITAL  
CATALOG



ENJOY THE  
VIDEO


INDEX



INSPIRATION >

IMAGE GALLERY >

SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION >



# PASTEL REBELLION

INDEX



INSPIRATION



IMAGE GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION





Color selection by Piero Lissoni



# 14 SHADES OF PASTEL


INDEX



INSPIRATION >

IMAGE GALLERY >

SURFACE RANGE & TECHNICAL SPECIFICATION >



# UNIQUE DECOR SELECTION

INDEX



INSPIRATION



IMAGE GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION



Frog Decor Design by Piero Lissoni



Shade Decor

INDEX




INSPIRATION



IMAGE GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION



3D Pleat





Brick



Ruler

INDEX



INSPIRATION



IMAGE GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION





Boost Balance  
Ash

Boost Color  
Salix / Teal / Jade



Boost Balance  
Moon

Boost Color  
Dove / Linen / Mauve



Boost Balance  
Pure

Boost Color  
Pure / Moon / Mint



Boost Balance  
Pearl

Boost Color  
Iris / Navy



Boost Balance  
Cream

Boost Color  
Cream / Sun

# CONTEMPORARY COLOR COMBINATION

BOOST  
COLOR + BOOST  
BALANCE

INDEX



INSPIRATION >

IMAGE GALLERY >

SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION >





INDEX



INSPIRATION



# IMAGE GALLERY

- 16 HOME BATHROOM
- 22 HOME GYM
- 28 HOTEL BATHROOM
- 34 RETAIL
- 40 PUBLIC RESTROOM
- 46 SPA

IMAGE GALLERY



HOME BATHROOM  
 HOME GYM  
 HOTEL BATHROOM  
 RETAIL  
 PUBLIC RESTROOM  
 SPA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECIFICATION





FLOOR  
**Boost Balance**  
**Pearl**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Iris**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Navy**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**3D Pleat Iris**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SINK  
**Atlas Concorde Habitat**  
 Twin wall-mounted  
**Boost Balance**  
**Pearl Matte**

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION







FLOOR  
**Boost Balance**  
**Pearl**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**3D Pleat Iris**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Iris**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Frog Navy**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECIFICATION







FLOOR  
**Boost Balance Pearl**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color Frog Navy**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color 3D Pleat Iris**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION







FLOOR  
**Boost Balance**  
**Moon**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Linen**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Mauve**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Shade Decor Dove**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SINK  
**Atlas Concorde Habitat**  
 Single wall-mounted  
**Boost Balance**  
**Moon Matte**

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION







FLOOR  
**Boost Balance Moon**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color Linen**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"



FLOOR  
**Boost Balance Moon**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color Shade Decor Dove**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color Mauve**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SINK  
**Atlas Concorde Habitat**  
 Single wall-mounted  
**Boost Balance Moon Matte**

INDEX



INSPIRATION



IMAGE GALLERY



HOME BATHROOM  
 HOME GYM  
 HOTEL BATHROOM  
 RETAIL  
 PUBLIC RESTROOM  
 SPA

SURFACE RANGE & TECHNICAL SPECIFICATION







FLOOR  
**Boost Balance**  
**Moon**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Linen**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Shade Decor Dove**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Mauve**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SINK  
**Atlas Concorde Habitat**  
 Single wall-mounted  
**Boost Balance**  
**Moon Matte**



INDEX



INSPIRATION



IMAGE GALLERY



HOME BATHROOM  
 HOME GYM  
 HOTEL BATHROOM  
 RETAIL  
 PUBLIC RESTROOM  
 SPA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECIFICATION





FLOOR  
**Boost Balance**  
**Cream**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Cream**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Sun**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SINK  
**Atlas Concorde Habitat**  
 Single wall-mounted  
**Boost Balance**  
**Cream Matte**

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECIFICATION







FLOOR  
**Boost Balance**  
**Cream**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Cream**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Sun**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SINK  
**Atlas Concorde Habitat**  
 Single wall-mounted  
**Boost Balance**  
**Cream Matte**

INDEX



INSPIRATION



IMAGE GALLERY



HOME BATHROOM  
 HOME GYM  
 HOTEL BATHROOM

RETAIL  
 PUBLIC RESTROOM  
 SPA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECIFICATION





FLOOR  
**Boost Balance**  
**Cream**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Sun**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Brick Sun**  
 Matte  
 33x37 cm | 13"x14<sup>5</sup>/<sub>8</sub>"

INDEX



INSPIRATION



IMAGE GALLERY



HOME BATHROOM  
 HOME GYM  
 HOTEL BATHROOM  
 RETAIL  
 PUBLIC RESTROOM  
 SPA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECIFICATION







FLOOR  
**Boost Balance**  
**Pure**  
 Velvet  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Mauve**  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Boost Balance**  
**Moon**  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Boost Color**  
**Ruler Mauve**  
 Matte  
 50x40 cm | 19<sup>5</sup>/<sub>8</sub>"x14<sup>5</sup>/<sub>8</sub>"

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECIFICATION





FLOOR  
**Boost Balance**  
 Pure  
 Velvet  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
 Mauve  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Boost Balance**  
 Moon  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Boost Balance**  
 Pure  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Boost Color**  
 Ruler Mauve  
 Matte  
 50x40 cm | 19<sup>5</sup>/<sub>8</sub>"x14<sup>5</sup>/<sub>8</sub>"

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION








FLOOR  
**Boost Balance**  
**Pure**  
 Velvet  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Balance**  
**Moon**  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Boost Color**  
**Ruler Mauve**  
 Matte  
 50x40 cm | 19<sup>5</sup>/<sub>8</sub>"x14<sup>5</sup>/<sub>8</sub>"

INDEX 


INSPIRATION 

IMAGE GALLERY 

- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION 



FLOOR  
**Boost Balance**  
**Pure**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**3D Pleat Jade**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Mint**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Pure Frog**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SINK  
**Atlas Concorde Habitat**  
 Twin wall-mounted  
**Boost Balance**  
**Pure Matte**

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM**
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION








FLOOR  
**Boost Balance Pure**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color 3D Pleat Jade**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color Pure Frog**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"



INDEX 

INSPIRATION 

IMAGE GALLERY 

- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION 



FLOOR  
**Boost Balance**  
 Pure  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
 Mint  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
 Pure Frog  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
 3D Pleat Jade  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

SINK  
**Atlas Concorde Habitat**  
 Twin wall-mounted  
**Boost Balance**  
 Pure Matte

INDEX



INSPIRATION



IMAGE GALLERY



HOME BATHROOM  
 HOME GYM  
 HOTEL BATHROOM  
 RETAIL  
 PUBLIC RESTROOM  
 SPA

SURFACE  
 RANGE &  
 TECHNICAL  
 SPECIFICATION







FLOOR  
**Boost Balance**  
**Ash**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Salix**  
 Matte  
 50x120 cm | 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

**Boost Color**  
**Teal**  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Boost Color**  
**Ruler Jade**  
 Matte  
 50x40 cm | 19<sup>5</sup>/<sub>8</sub>"x15<sup>3</sup>/<sub>4</sub>"

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION





FLOOR  
**Boost Balance**  
**Ash**  
 Matte Sensitech  
 120x120 cm | 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"

WALL  
**Boost Color**  
**Teal**  
 Matte  
 120x278 cm | 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"

**Boost Color**  
**Ruler Jade**  
 Matte  
 50x40 cm | 19<sup>5</sup>/<sub>8</sub>"x15<sup>3</sup>/<sub>4</sub>"

INDEX



INSPIRATION



IMAGE GALLERY



- HOME BATHROOM
- HOME GYM
- HOTEL BATHROOM
- RETAIL
- PUBLIC RESTROOM
- SPA

SURFACE RANGE & TECHNICAL SPECIFICATION







INDEX



INSPIRATION



IMAGE GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION



# SURFACE RANGE & TECHNICAL SPECIFICATIONS

- 52 COLORS & DIMENSIONS
- 54 DECOR RANGE
- 62 CONTEMPORAY COLOR COMBINATION
- 64 BOOST WORLD

# COLORS & DIMENSIONS

## Wall Tiles & Porcelain tiles


Color Selection by Piero Lissoni

Wall Tiles ±8,5 mm


50x120 cm - 19<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"

Porcelain Tiles ±6 mm

120x278 cm - 47<sup>1</sup>/<sub>4</sub>"x109<sup>1</sup>/<sub>2</sub>"



## Wall Trim Tiles



Corner 50   
1,4x50 cm - 5<sup>5</sup>/<sub>8</sub>"x19<sup>5</sup>/<sub>8</sub>"



Corner A.E.  
1,4x1,4 cm - 5<sup>5</sup>/<sub>8</sub>"x5<sup>5</sup>/<sub>8</sub>"


- \* Available in all colors / Disponibile in tutti i colori
- ✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione

## Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. - Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.



INDEX



INSPIRATION






IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECIFICATION





# DECOR RANGE




# Frog

**WALL TILES** - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка  
**PORCELAIN TILES** - Gres porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретицированный в одном калибре



Dove



Pure



Navy



INDEX



INSPIRATION



IMAGE GALLERY





SURFACE RANGE & TECHNICAL SPECIFICATION





# 3D Pleat


WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка  
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретицированный в одном калибре




Linen



Mauve



Jade




Iris



# Shade Decor


WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка  
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретицированный в одном калибре



Dove



Mint



Iris



INDEX



INSPIRATION



IMAGE GALLERY




SURFACE RANGE & TECHNICAL SPECIFICATION




# Ruler

**WALL TILES** - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретицированный в одном калибре



# Brick

**WALL TILES** - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка  
**RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретицированный в одном калибре



INDEX



INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECIFICATION



**Wall tiles - Rectified monocaliber**  
Rivestimento - Rettificato monocalibro

Compliant with standards EN 14411 annex L group BIII  
Compliant with standards ISO 13006 annex L group BIII  
Conforme alla norma EN 14411 Appendice L gruppo BIII  
Conforme alla norma ISO 13006 Appendice L gruppo BIII

Matte  
50x120 cm  $\nabla$  8,5 mm

	Test Method Metodo di prova	Requirements for nominal size N Requisiti per dimensione nominale N			Wall tiles
		7 cm ≤ N < 15 cm	N ≥ 15 cm		
		(mm)	(%)	(mm)	
<b>REGULARITY CHARACTERISTICS CARATTERISTICHE DI REGOLARITÀ</b>					
Lunghezza e larghezza Spessore Rettilinearità degli spigoli Ortogonalità	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conformance
		± 0,5 (**)	± 1,0 (**)	± 0,5 (**)	Suitable for Conformance
		± 0,5 (***)	± 0,3 (****) Rect.	± 0,8 (****) Rect.	Suitable for Conformance
Planarità	10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conformance 3D WALL Not applicable 3D WALL Non applicabile
		e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.	
		w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.	
<b>STRUCTURAL CHARACTERISTICS CARATTERISTICHE STRUTTURALI</b>					
Water absorption Massa d'acqua assorbita	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E, ≤ 20%
<b>BULK MECHANICAL CHARACTERISTICS CARATTERISTICHE MECCANICHE MASSIVE</b>					
Breaking strength Sforzo di rottura Modulus of rupture Resistenza alla flessione	ISO 10545-4	S ≥ 600 N			S ≥ 600 N
		R ≥ 15N/mm <sup>2</sup>			R ≥ 15 N/mm <sup>2</sup>
<b>THERMAL AND IGOMETRIC CHARACTERISTICS CARATTERISTICHE TERMO-IGOMETRICHE</b>					
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK <sup>-1</sup>
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)
Craze resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste
Frost resistance	ISO 10545-12	-			-
<b>PHYSICAL PROPERTIES PROPRIETÀ FISICHE</b>					
Bond strength Adesione a trazione	EN 1348	Declared value Valore dichiarato			≥ 1,0 N/mm <sup>2</sup> (Class C2-EN 12004)
Bond strength Adesione a trazione	EN 12004-2	-			-
Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1
<b>CHEMICAL CHARACTERISTICS CARATTERISTICHE CHIMICHE</b>					
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	ISO 10545-13	Minimum Class B Classe minima B			A
		Declared Class Classe dichiarata			LA
		Declared Class Classe dichiarata			HA
Resistance to staining Resistenza alle macchie	ISO 10545-14	Minimum Class 3 Classe 3 minima			5
Release of dangerous substances Rilascio di sostanze pericolose	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm Cd ≤ 0,1 mg/dm Pb

(\*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).  
 (\*\*) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).  
 (\*\*\*) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).  
 (\*\*\*\*) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).  
 (c.c.) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).  
 (e.c.) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).  
 (w.) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).  
 (\*) PTV = 35 Wet on demand / su richiesta.  
 (\*\*) P3 on demand / su richiesta.  
 (\*\*\*) C2 on demand / su richiesta.  
 (i) R9 on demand / su richiesta.  
 (ii) DCOF >0,42wet on demand / su richiesta.

**Porcelain tiles - Rectified monocaliber**  
Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group BII  
Compliant with standards ISO 13006 annex G group BII  
Conforme alla norma EN 14411 Appendice G gruppo BII  
Conforme alla norma ISO 13006 Appendice G gruppo BII

Matte  
120x278 cm  $\nabla$  6 mm

	Test Method Metodo di prova	Requirements for nominal size N Requisiti per dimensione nominale N			Porcelain tiles
		7 cm ≤ N < 15 cm	N ≥ 15 cm		
		(mm)	(%)	(mm)	
<b>REGULARITY CHARACTERISTICS CARATTERISTICHE DI REGOLARITÀ</b>					
Length and width Lunghezza e larghezza Thickness Spessore Straightness of sides Rettilinearità degli spigoli Rectangularity Ortogonalità	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conformance
		± 0,5 (**)	± 0,5 (**)	± 0,5 (**)	Suitable for Conformance
		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 1,5 (****) Non-rect. ± 0,8 (****) Rect.	Suitable for Conformance
Surface flatness Planarità	10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conformance
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.	
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.	
<b>STRUCTURAL CHARACTERISTICS CARATTERISTICHE STRUTTURALI</b>					
Water absorption Massa d'acqua assorbita	ISO 10545-3	EV ≤ 0,5% Individual Maximum 0,6% EV 0,5% Valore massimo singolo 0,6%			≤ 0,1%
Water absorption Massa d'acqua assorbita	ASTM C 373	Requirement ANSI A137.1-2017 Water absorption max ≤ 0,5%			≤ 0,5%
<b>BULK MECHANICAL CHARACTERISTICS CARATTERISTICHE MECCANICHE MASSIVE</b>					
Breaking strength Sforzo di rottura Modulus of rupture Resistenza alla flessione	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm ) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore 7,5 mm)			S ≥ 1000 N
		R ≥ 35 N/mm <sup>2</sup>			R ≥ 40 N/mm <sup>2</sup>
Impact resistance	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55
Resistance to deep abrasion of unglazed tiles	ISO 10545-6	≤ 175 mm <sup>3</sup>			≤ 150mm <sup>3</sup>
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK <sup>-1</sup>
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)
Frost resistance	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste
<b>PHYSICAL PROPERTIES PROPRIETÀ FISICHE</b>					
Bond strength Adesione a trazione	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm <sup>2</sup> (Class C2-EN 12004)
Reaction to fire Reazione al fuoco	-	Class A1 or A1fl Classe A1 oppure A1fl			A1 - A1fl
<b>CHEMICAL CHARACTERISTICS CARATTERISTICHE CHIMICHE</b>					
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	ISO 10545-13	Minimum Class B Classe minima B			A
		Declared Class Classe dichiarata			LA
		Declared Class Classe dichiarata			HA
Resistance to staining Resistenza alle macchie	ISO 10545-14	Minimum Class 3 Classe 3 minima			5
Release of dangerous substances Rilascio di sostanze pericolose	ISO 10545-15	-			≤ 0,01 mg/dm Cd ≤ 0,1 mg/dm Pb
Shod Ramp test Metodo della rampa "calzato" Barefoot Ramp test Metodo della rampa a piedi nudi Pendulum friction test Metodo del Pendolo Pendulum friction test Metodo del Pendolo Pendulum friction test Metodo del Pendolo	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9
	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A
	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(*)
	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(**)
	UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	Declared value Valore dichiarato			(***)
Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 >0,40 per elemento scivolante cuoio su pavimentazione asciutta >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			>0,40Asciutto >0,40Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF>= 0,42





# CONTEMPORARY COLOR COMBINATION.

## BOOST COLOR



## BOOST BALANCE



INDEX




INSPIRATION



IMAGE GALLERY




SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION



# BOOSTWORLD

BOOST BOOST PRO BOOST MIX BOOST MINERAL BOOST STONE BOOST NATURAL BOOST BALANCE BOOST COLOR



## BOOST YOUR STYLE

Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.

Boost World è uno strumento progettuale che coniuga in un'unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d'uso.



DOWNLOAD  
BOOST WORLD  
CATALOG

# ETHICAL IDENTITY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.



# CERTIFICATIONS

### Company certifications / Certificazioni aziendali



### Product declarations / Dichiarazioni di prodotto




### Certifications for export to international markets\*



### Product certifications / Certificazioni di prodotto



### Certification for buildings / Rating dell'edificio



atlasconcorde.com

cstb.fr



\* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

<sup>(1)</sup> Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024

<sup>(2)</sup> Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB3>

<sup>(3)</sup> Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: [france@atlasconcorde.it](mailto:france@atlasconcorde.it)

<sup>(4)</sup> Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.

All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.

INDEX



INSPIRATION



IMAGE GALLERY



SURFACE  
RANGE &  
TECHNICAL  
SPECIFICATION







Ceramiche Atlas Concorde S.p.A.  
Via Canaletto 141  
41042 Spezzano di Fiorano (MO) - Italia

Atlas Concorde USA, Inc.  
117 Seaboard Lane - Suite F170  
Franklin, TN 37067 - USA

Atlas Concorde Russia  
Business centre "Meliora Place"  
Prospekt Mira 6  
129090 Moscow - Russia

Atlas Concorde Middle East, Fz-Llc  
Building 8 - Suite 106  
D3 Dubai Design District  
United Arab Emirates

**[atlasconcorde.com](https://atlasconcorde.com)**

Copyright 2024 by Ceramiche Atlas Concorde S.p.A  
(41042 Spezzano di Fiorano (MO) - Italia)  
March 2024